	Hits	Search Text	DBs
1	0	(375/132, 375/219, 375/220, 375/133, 375/134).ccls. and (control adj freq\$10) and (mobile\$5 and base) and ((assign\$5 and select\$5) adj traffic adj freq\$10) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	0	(control adj freq\$10) and (mobile\$5 and base) and ((assign\$5 and select\$5) adj traffic adj freq\$10) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	0	(control adj freq\$10) and (mobile\$5 and base) and ((assign\$5 and select\$5) adj (traffic adj freq\$10)) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	o	(control adj freq\$10) and (mobile\$5 and base) and ((assign\$5 and select\$5) adj (traffic adj freq\$10))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	1	(control adj freq\$10) and (mobile\$5 and base) and ((assign\$5 or select\$5) adj (traffic adj freq\$10))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	1	(mobile\$5 and base) and ((assign\$5 or select\$5) adj (traffic adi freg\$10)) and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
		("4144412" "4144496"	
		"4723266" "5357559"	USPAT
		"5535423" "5546443"	
_	45	"5548807" "5596333"	
7	15	"5615409" "6011787"	
		"6141566" "6161024"	
		"6167286" "6240290"	
		"6301238").PN.	
		(control adj (freq\$10 or	
		channel\$5)) and (mobile\$5 and	US-PGPUB;
	204	base) and ((assign\$5 or select\$5	USPAT; EPO; JPO;
8	364	or allocat\$5) adj (traffic adj	DERWENT;
		(freq\$10 or channel\$5))) and	IBM_TDB
		@ad<"20001024"	
		(control adj (freq\$10 or	
		channel\$5)) and (mobile\$5 and	US-PGPUB;
	26	base) and (((assign\$5 or	USPAT; EPO; JPO;
9	26	allocat\$5) and select\$5) adj	DERWENT;
		(traffic adj (freq\$10 or	IBM_TDB
		channel\$5))) and @ad<"20001024"	•
			US-PGPUB;
10	2	WE 20004 2W mm	USPAT; EPO; JPO;
10	2	"5208812".pn.	DERWENT;
			IBM_TDB
		("4144412" "4144496"	
		"4723266" "5357559"	
		"5535423" "5546443"	
11	15	"5548807" "5596333"	HEDAT
•	15	"5615409" "6011787"	USPAT
		"6141566" "6161024"	
		"6167286" "6240290"	
		"6301238").PN.	

	Hits	Search Text	DBs
12	23	(control adj (freq\$10 or channel\$5)) and (mobile\$5 and base) and ((assign\$5 or select\$5 or allocat\$5) adj (traffic adj (freq\$10 or channel\$5))) and gps and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	8	(control adj (freq\$10 or channel\$5)) and (mobile\$5 and base) and ((assign\$5 or select\$5 or allocat\$5) adj (traffic adj (freq\$10 or channel\$5))) and (gps with synchron\$10) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	2	"6353412".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	95	("5745695" "6563825" "6407999" "6597682" "6658235" "5442681" "5506867" "5974325" H001897 "6459904" "6119012" "6104929" "6292667" "6469998" "6608832" "6711147" "6169900" "6243582" "6249584" "5590175" "5864761" "5878397" "5946630" "5991619" "6085089" H001918 "6148200" "6341220" "6366777" "6400951" "6427073" "6539237" "6542754" "6687243" "6729929" "6735184" "5987137" "6385451" "6628645" "6219557" "63159904" "6363252" "6370385" "6389008" "6430163" "6463055").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
		("5745695" "6563825" "6407999"	
		"6597682" "6658235" "5442681"	
		"5506867" "5974325" H001897	
		"6459904" "6119012" "6104929"	
		"6292667" "6469998" "6608832"	
		"6711147" "6169900" "6243582"	
		"6249584" "5590175" "5864761"	HE DODUB.
		"5878397" "5946630" "5991619"	US-PGPUB;
16	95	"6085089" H001918 "6148200"	USPAT; EPO; JPO;
		"6341220" "6366777" "6400951"	DERWENT;
		"6427073" "6539237" "6542754"	IBM_TDB
		"6687243" "6729929" "6735184"	
		"5987137" "6385451" "6628645"	
		"6219557" "6219557" "6320873"	
		"6356759" "6359877" "6359904"	
		"6363252" "6370385" "6389008"	
		"6430163" "6463055").pn.	
		("5745695" "6563825" "6407999"	
		"6597682" "6658235" "5442681"	
		"5506867" "5974325" H001897	
		"6459904" "6119012" "6104929"	
1		"6292667" "6469998" "6608832"	
		"6711147" "6169900" "6243582"	
		"6249584" "5590175" "5864761"	
		"5878397" "5946630" "5991619"	
17	49	"6085089" H001918 "6148200"	USPAT
		"6341220" "6366777" "6400951"	
		"6427073" "6539237" "6542754"	
		"6687243" "6729929" "6735184"	
		"5987137" "6385451" "6628645"	
		"6219557" "6219557" "6320873"	
		"6356759" "6359877" "6359904"	
		"6363252" "6370385" "6389008"	
		"6430163" "6463055").pn.	

	Hits	Search Text	DBs
18	2	"6366622".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	1	"6366622".pn. and (transmi\$10 with hop\$10 with seq\$10)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	25	(transmi\$10 with hop\$10 with seq\$10 with (control adj (channel or frequency))) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	0	(375/132, 375/219, 375/220, 375/133, 375/134).ccls. and (control adj freq\$10) and (mobile\$5 and base) and ((assign\$5 and select\$5) adj traffic adj freq\$10) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	0	(375/132, 375/219, 375/220, 375/133, 375/134, 370/328, 370/319, 370/344, 370/343, 370/337, 370/347, 455/450, 455/452.1, 455/12.1, 455/13.1, 455/13.2).ccls. and (control adj freq\$10) and (mobile\$5 and base) and ((assign\$5 and select\$5) adj traffic adj freq\$10) and (idle near2 time near2 slot\$5) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
		(375/132, 375/219, 375/220,	
		375/133, 375/134, 370/328,	
		370/319, 370/344, 370/343,	US-PGPUB;
23	89	370/337, 370/347, 455/450,	USPAT; EPO; JPO;
23	09	455/452.1, 455/422.1, 455/12.1,	DERWENT;
		455/13.1, 455/13.2).ccls. and (idle	IBM_TDB
		near2 time near2 slot\$5) and	
		@ad<"20001024"	
		(frequency near2 hop\$7) and (idle	US-PGPUB;
24	26	near2 time near2 slot\$5) and	USPAT; EPO; JPO;
		@ad<"20001024"	DERWENT;
		@au	IBM_TDB
		(375/132, 375/219, 375/220,	
		375/133, 375/134, 370/328,	US-PGPUB; USPAT; EPO; JPO;
		370/319, 370/344, 370/343,	
		370/337, 370/347, 455/450,	
25	9	455/452.1, 455/422.1, 455/12.1,	DERWENT;
		455/13.1, 455/13.2).ccls. and	IBM TDB
		(frequency near2 hop\$7) and (idle	
		near2 time near2 slot\$5) and	
		@ad<"20001024"	
		(375/132, 375/219, 375/220,	
		375/133, 375/134, 370/328,	
		370/319, 370/344, 370/343,	
		370/337, 370/347, 455/450,	US-PGPUB;
26	9	455/452.1, 455/422.1, 455/12.1,	USPAT; EPO; JPO;
	7	455/13.1, 455/13.2).ccls. and	DERWENT;
		control and traffic and (frequency	_
		near2 hop\$7) and (idle near2 time	
		near2 slot\$5) and	
		@ad<"20001024"	

	Hits	Search Text	DBs
27	1	(375/132, 375/219, 375/220, 375/133, 375/134, 370/328, 370/319, 370/344, 370/343, 370/337, 370/347, 455/450, 455/452.1, 455/12.1, 455/13.1, 455/13.2).ccls. and (control near2 (channel\$5 or frequenc\$5)) with "same" with (traffic near2 (channel\$5 or frequenc\$5)) and (frequency near2 hop\$7) and (idle near2 time near2 slot\$5) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	1	(375/132, 375/219, 375/220, 375/133, 375/134, 370/328, 370/319, 370/344, 370/343, 370/337, 370/347, 455/450, 455/452.1, 455/13.1, 455/13.2).ccls. and ((control near2 (frequenc\$5 or channel\$5)) with (communicat\$5 or send\$5) with (traffic near2 (informat\$5 or data))) and (frequency near2 hop\$7) and (idle near2 time near2 slot\$5) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	1	((control near2 (frequenc\$5 or channel\$5)) with (communicat\$5 or send\$5) with (traffic near2 (informat\$5 or data))) and (frequency near2 hop\$7) and (idle near2 time near2 slot\$5) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	2	"6011786".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
31	0	(frequency near2 hop\$7) and ((idle near2 time near2 slot\$5) with (chang\$5 near2 frequenc\$5)) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	2	((idle near2 time near2 slot\$5) with (chang\$5 near2 frequenc\$5)) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	1	((idle near2 time near2 slot\$5) near6 (chang\$5 near2 frequenc\$5)) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	3	((idle near2 time near2 slot\$5) same (chang\$5 near2 frequenc\$5)) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	4	(((idle or null or empty or nothing) near2 time near2 slot\$5) same (chang\$5 near2 frequenc\$5)) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	1	Channel 35)) With (communicat 55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
37	12	(equival\$7 near2 class\$7 near2 frequenc\$7) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	2	((select\$7 or choos\$7 or pick\$7 or choic\$7) near7 equival\$7 near7 class\$7 near7 frequenc\$7) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	34	((select\$7 or choos\$7 or pick\$7 or choic\$7) near7 equival\$7 near7 (class\$7 or typ\$7 or rang\$7) near7 frequenc\$7) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	33	S39 not S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	643	((select\$7 or choos\$7 or pick\$7 or choic\$7) near7 (equival\$7 or sam\$3 or simil\$7) near7 (class\$7 or typ\$7 or rang\$7 or group\$7) near7 frequenc\$7) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	63	((select\$7 or choos\$7 or pick\$7 or choic\$7) near2 (equival\$7 or sam\$3 or simil\$7) near2 (class\$7 or typ\$7 or rang\$7 or group\$7) near2 frequenc\$7) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	29	((select\$7 or choos\$7 or pick\$7 or choic\$7) near2 (equival\$7 or sam\$3 or simil\$7) near2 (class\$7 or typ\$7 or rang\$7 or group\$7) near2 frequenc\$7) and random\$7 and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
44	5940	(select\$7 or choos\$7 or pick\$7 or choic\$7) near2 frequenc\$7 near2 (class\$7 or typ\$7 or rang\$7 or group\$7) and @ad<"20001024"	'
45	912	(select\$7 or choos\$7 or pick\$7 or choic\$7) near2 frequenc\$7 near2 (within or in) near2 (class\$7 or typ\$7 or rang\$7 or group\$7) and @ad<"20001024"	
46	40	(select\$7 or choos\$7 or pick\$7 or choic\$7) near2 frequenc\$7 near2 (within or in) near2 (class\$7 or typ\$7 or rang\$7 or group\$7) and random\$7 and cell\$7 and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	2	((select\$7 or choos\$7 or pick\$7 or choic\$7) near2 frequenc\$7 near2 (within or in) near2 (class\$7 or typ\$7 or rang\$7 or group\$7) with random\$7) and cell\$7 and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	9	((select\$7 or choos\$7 or pick\$7 or choic\$7) near2 frequenc\$7 near2 (within or in) near2 (class\$7 or typ\$7 or rang\$7 or group\$7) with random\$7) and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
49	1	((control riear2 (frequenc\$5 or channel\$5)) with (communicat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB